

Europäisches Patentamt
Europ an Patent Office
Office europ en des brevets



(11) EP 0 920 852 A2

(12) EUROPEAN PATENT APPLICATION

(43) Date of publication:
09.06.1999 Bulletin 1999/23

(51) Int Cl.⁶: A61K 7/06

(21) Application number: 98309428.5

(22) Date of filing: 18.11.1998

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 18.11.1997 JP 33231997

(71) Applicant: Takasago International Corporation
Tokyo 108 (JP)

(72) Inventors:


- Ishida, Kenya, Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)

- Sakurai, Kazutoshi, c/o Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)
- Ogura, Miharuru, c/o Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)
- Yamasaki, Tetsuro, c/o Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)
- Shiroyama, Kenichiro, c/o Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)

(74) Representative: Bubbs, Antony John Allen et al
GEE & CO.
Chancery House
Chancery Lane
London WC2A 1QU (GB)

(54) Keratin fiber strengthening agent and method for strengthening keratin fiber

(57) A keratin fiber strengthening agent comprising 0.001 to 20% by weight of at least one (2S,3R)-2-acylamino-alkane-1,3-diol represented by formula (I):



(I)

wherein R¹ represents a straight-chain alkyl group having 9 to 17 carbon atoms; and R² represents an acyl group having 2 to 24 carbon atoms which may contain at least one hydroxy group or unsaturated bond is disclosed. A method for improving physical properties, such as breaking strength, of keratin fiber such as hair comprising applying the keratin fiber strengthening agent to keratin fiber by adhesion, coating or impregnation is also disclosed.

Description

[0001] This invention relates to an agent to enhance strength of keratin fiber which is hereinafter be referred to as a keratin fiber strengthening agent containing at least one optically active (2S,3R)-2-acylaminoalkane-1,3-diol and a method for improving strength of keratin fiber by applying the keratin fiber strengthening agent to keratin fiber by adhesion, coating or impregnation.

[0002] Keratin is a body component such as hair, horn, nail, scale or feather which covers the outermost part of a body and is originally derived from the epidermis. Morphologically, it can be classified into a fibrous type and amorphous type. The former type is called keratin fiber and it includes hair, eyebrows and eyelashes and animal hair such as wool and dog hair.

[0003] The primary function of keratin is to protect the body of a higher animal, particularly an animal higher than a batrachian, from outside attack. Another function of keratin is to keep the appearance of an individual body beautiful and this function has a close relation with retention and improvement of the strength of keratin. Accordingly, it is important to maintain and reinforce the strength of keratin or improve the strength of damaged keratin.

[0004] Keratin exists in the outermost part of the body so that it tends to be exposed to severe attack from the outer world. Particularly keratin fiber is susceptible to the outer influence.

[0005] For example, the physical factors in the natural world such as friction, rain, dirt, dust or ultraviolet rays and microbiological factors such as dandruff and bacteria, damages keratin fiber of hair. In addition, thermal or chemical irritation due to permanent wave and degreasing due to hair washing with a solvent or detergent have recently increased the frequency of hair being damaged.

[0006] Thermal and chemical irritation of permanent waving or degreasing caused by washing with a solvent or detergent decreases the tensional strength of keratin fiber owing to the damage of protein filament. For example, hair tends to reduce tensional strength according to the frequency of permanent waving. It has been reported that the strength of hair is reduced to about half of the untreated hair at the tenth treatment.

[0007] In addition, the hair so damaged and having a reduced strength loses its gloss. Such a reduction in the strength produces broken hair or spilt hair, thereby deteriorating the appearance, which causes a cosmetic problem.

[0008] It is therefore cosmetically significant to maintain and increase the strength of keratin fiber and improve the strength of damaged keratin fiber.

[0009] Keratin is mainly composed of keratin protein (keratin in a narrow sense) which is an insoluble, stable protein containing much cystine and having many disulfide bonds.

[0010] Keratin fiber has a definite structure in which protein filament of alpha keratin forms helix coils in the presence of an adhesive. This adhesive has an important role. In addition to keratin protein, keratin fiber contains a number of components. Among them, a water soluble component such as amino acid is presumed to provide keratin fiber with wetness, serving as a humidity retaining component. As an oil component, much ceramide is contained in keratin fiber.

[0011] The ceramide is also a main component of stratum corneum lipid which binds stratum corneum of human skin and is known to play an important role as a skin barrier.

[0012] The ceramide extracted from a naturally-occurring substance has an optically active (2S,3R)-2-acylaminoalkane-1,3-diol structure. A 2-acylaminoalkane-1,3-diol has four stereoisomers (diastereomers). Among them, only the stereoisomer having a (2S,3R) configuration exists in nature. It has so far been difficult to prepare the same 2-acylaminoalkane-1,3-diol having a (2S,3R)-configuration as the naturally-occurring one except for preparing it by extraction of a ceramide from a naturally-occurring substance.

[0013] Since a ceramide extracted from an animal or plant in nature is a mixture of many ceramide components and it is markedly expensive, studies on the effect of an optically active (2S,3R)-2-acylaminoalkane-1,3-diol, which is in a pure substance and at the same time has the single steric structure as that of the naturally-occurring substance, have not yet been reported on the keratin fiber.

[0014] As a substitute for the naturally-occurring substance, synthesized is a diastereomer mixture of racemic 2-acylaminoalkane-1,3-diols, that is, a mixture wherein (2S, 3R): (2R, 3S) is 1:1 and (2S, 3S): (2R, 3R) is 1:1 (with the proviso that (2S, 3R)+(2R, 3S): (2S, 3S)+(2R, 3R) tend to be unequal) (said mixture will hereinafter be referred to as "racemic ceramide"). It is commercially available under the trade name of "CERAMIDE II" (Quest Inc.) and the use of a composition obtained by mixing it with at least one cosmetically acceptable raw material has been proposed with a view to improving the rough skin or protecting the hair.

[0015] It is known (JP-A-4-327563) (the term "JP-A" as used herein means an "unexamined published Japanese patent application") that a composition available by using a "racemic ceramide" is effective for preventing hair from losing moisture. It is also known that a composition containing a "racemic ceramide" imparts satisfactory shape retaining properties to hair (JP-A-7-30046). Further, JP-A-8-245337 proposes a method for treating keratin fiber of the skin or hair, etc. which comprises applying a composition containing a "racemic ceramide" to the skin or hair and optionally, rinsing with water. These reports however do not include a description concerning an increase in the strength of keratin fiber. Even by the studies of the present inventors, no effect for improving keratin fiber was found from the "racemic

ceramide" as described later in the Examples.

[0016] The strength of protein fiber can be determined by measuring a load required for cutting keratin fiber in tension (breaking strength). Permanent-waved hair tends to have a reduced breaking strength. It has been reported that compared with untreated hair, the strength of hair is reduced to about half when permed 10 times. Many compounds have been developed for restoration of such damaged hair. Reported substances effective in restoring damaged hair include cationic hydrolysis products of protein and isoprene glycol (see *Hifu to biyo*, 29(3), 5027(1997)). These reports however do not include a description about an improvement in the strength of keratin fiber.

[0017] An object of the present invention is to provide a novel keratin fiber strengthening agent which can improve physical properties of keratin fiber, such as breaking strength.

[0018] The present inventors have proceeded with an extensive study. As a result, it has been found that a composition comprising a compound represented by the formula (I) and a cosmetically acceptable raw material (base) such as oil components, lipids, sterols, lower alcohols, polyols, surfactants and other components brings about a marked improvement in the breaking strength of hair damaged by a permanent wave, treatment with an organic solvent, etc.

[0019] That is, it has been found that the composition of the present invention increases breaking strength of keratin fiber and, when applied to hair, produces effects in preventing hair splits or breaks and is curative of hair damage so that it is useful as a product of a keratin fiber strengthening agent. The present invention has been completed based on this finding and successive studies.

[0020] According to the present invention there is provided:

- 1) A keratin fiber strengthening agent comprising 0.001 to 20 % by weight of at least one (2S,3R)-2-acylaminoalkane-1,3-diol represented by the following formula (I):



wherein R¹ represents a straight-chain alkyl group having 9 to 17 carbon atoms and R² represents an acyl group having 2 to 24 carbon atoms which may contain at least one hydroxyl group or unsaturated bond.

2) A keratin fiber strengthening agent according to 1) above, wherein in the formula (I), R¹ represents a straight-chain alkyl group having 9 to 17 carbon atoms and R² represents a saturated acyl group having 2 to 24 carbon atoms.

3) A keratin fiber strengthening agent according to 1) above, wherein in the formula (I), R¹ represents a C₁₃H₂₇, C₁₅H₃₁ or C₁₇H₃₅ group and R² represents an acyl group represented by any one of the following formulas (II) to (VII):





wherein R^3 represents a hydrogen atom or a saturated alkyl group having 1 to 21 carbon atoms.

4) A keratin fiber strengthening agent according to 3) above, wherein in the formulas (II) to (VII), R^3 represents a $\text{C}_{11}\text{H}_{23}$, $\text{C}_{13}\text{H}_{27}$, $\text{C}_{15}\text{H}_{31}$ or $\text{C}_{17}\text{H}_{35}$ group.

5) A keratin fiber strengthening agent according to 1) above, wherein R^2 represents an acetyl, oleoyl, linoleoyl or linolenoyl group.

6) A keratin fiber strengthening agent according to any one of 1) to 5) above, which comprises 0.005 to 5% by weight of at least one compound represented by the formula (I)

7) A keratin fiber strengthening agent according to any one of 1) to 6) above, which further comprises a cosmetically acceptable raw material.

8) A keratin fiber strengthening agent according to 7) above, wherein the cosmetic raw material comprises at least one material selected from the group consisting of oil components, lipids, sterols, lower or polyhydric alcohols and surfactants.


9) A method for improving the strength of keratin fiber, which comprises applying the keratin fiber strengthening agent according to any one of 1) to 8) above to keratin fiber by adhesion, coating or impregnation.

[0021] The present invention will now be described by reference to the following drawings:

- Fig. 1 is a graph of breaking strength of hair sampled from a 20-year-old female;
- Fig. 2 is a graph of Young's modulus of hair sampled from a 25-year old female;
- Fig. 3 is a graph of toughness of hair sampled from a 25-year-old female;
- Fig. 4 is a graph of breaking strength of hair sampled from a 4-year-old male dog;
- Fig. 5 is a graph of Young's modulus of hair sampled from a 4-year-old male dog; and
- Fig. 6 is a graph of breaking strength of hair sampled from a 18-year-old female.

[0022] The present invention will hereinafter be described more specifically.

[0023] Although there is no particular limitation imposed on the process for preparing an optically active (2S,3R)-2-acylaminoalkane-1,3-diol of the formula (I) in the present invention and has a stereospecific (2S,3R)-configuration, a process for preparing it by acylating a (2S,3R)-2-aminoalkane-1,3-diol, which is available in accordance with the process as described in JP-A-6-0617, with an appropriate fatty acid or derivative thereof can be given as an example.





(T)-Binap: 2,2'-bis(di-p-tolylphosphino)-1,1'-binaphthyl

[0024] The fatty acid or derivative thereof used here is a compound represented by the following formula (VIII):




wherein R^2 represents an acyl group having 2 to 24 carbon atoms which may contain at least one hydroxyl group or unsaturated bond, or a group represented any one of the following formulas (II) to (VII):







(IV)



(V)



(VI)



(VII)

wherein R³ represents a hydrogen atom or a saturated alkyl group having 1 to 21 carbon atoms, or R² represents an acetyl, oleoyl or linoleoyl group.

[0025] Specific examples of the fatty acid or derivative thereof include, but not limited to, those exemplified in 1) to 4) below:

1) Saturated fatty acids such as acetic acid, propionic acid, butanoic acid, pentanoic acid, hexanoic acid, octanoic acid, decanoic acid, dodecanoic acid, tetradecanoic acid, hexadecanoic acid, icosanoic acid, docosanoic acid and tetracosanoic acid;

2) 2-Hydroxy acids such as glycolic acid, lactic acid, (S)-lactic acid, (R)-lactic acid, 2-hydroxybutanoic acid, (S)-2-hydroxybutanoic acid, (R)-2-hydroxybutanoic acid, 2-hydroxyhexanoic acid, (S)-2-hydroxyhexanoic acid, (R)-2-hydroxyhexanoic acid, 2-hydroxyoctanoic acid, (S)-2-hydroxyoctanoic acid, (R)-2-hydroxyoctanoic acid, 2-hydroxydecanoic acid, (S)-2-hydroxydecanoic acid, (R)-2-hydroxydecanoic acid, 2-hydroxydodecanoic acid, (S)-2-hydroxydodecanoic acid, (R)-2-hydroxydodecanoic acid, 2-hydroxytetradecanoic acid (which may be referred to as "2-hydroxymyristic acid"), (S)-2-hydroxytetradecanoic acid, (R)-2-hydroxytetradecanoic acid, 2-hydroxyhexadecanoic acid (which may be referred to as "2-hydroxypalmitic acid"), (S)-2-hydroxyhexadecanoic acid, (R)-2-hydroxyhexadecanoic acid, 2-hydroxyoctadecanoic acid (which may be referred to as "2-hydroxystearic acid"), (S)-2-hydroxyoctadecanoic acid, (R)-2-hydroxyoctadecanoic acid, 2-hydroxyicosanoic acid (which may be referred to as "2-hydroxyarachidic acid"), (S)-2-hydroxyicosanoic acid, (R)-2-hydroxyicosanoic acid, 2-hydroxytetracosanoic acid, (S)-2-hydroxytetracosanoic acid and (R)-2-hydroxytetracosanoic acid,

3) 3-Hydroxypropionic acid, 3-hydroxybutanoic acid, (S)-3-hydroxybutanoic acid, (R)-3-hydroxybutanoic acid, 3-hydroxyhexanoic acid, (S)-3-hydroxyhexanoic acid, (R)-3-hydroxyhexanoic acid, 3-hydroxyoctanoic acid, (S)-3-hydroxyoctanoic acid, (R)-3-hydroxyoctanoic acid, 3-hydroxydecanoic acid, (S)-3-hydroxydecanoic acid, (R)-3-hydroxydecanoic acid, 3-hydroxydodecanoic acid, (S)-3-hydroxydodecanoic acid, (R)-3-hydroxydodecanoic acid, 3-hydroxytetradecanoic acid, (S)-3-hydroxytetradecanoic acid, (R)-3-hydroxytetradecanoic acid, 3-hydroxyhexadecanoic acid, (S)-3-hydroxyhexadecanoic acid, (R)-3-hydroxyhexadecanoic acid, 3-hydroxyoctadecanoic acid, (S)-3-hydroxyoctadecanoic acid, (R)-3-hydroxyoctadecanoic acid,

4) unsaturated fatty acids such as oleic acid, linoleic acid, linolenic acid and palmitoleic acid.

[0026] There is no particular limitation imposed on the process for acylating a (2S,3R)-2-aminoalkane-1,3-diol with the fatty acid of the formula (VIII) or derivative thereof. An ordinary acylation process can be employed. Described specifically, the compound of the formula (I) can be prepared by subjecting a fatty acid of the formula (VIII) or derivative thereof and a (2S,3R)-2-aminoalkane-1,3-diol to dehydrating reaction in the presence or absence of a catalyst under heating conditions. As the catalyst usable upon the dehydrating reaction, an acid catalyst can be mentioned as an example, but it is not necessary to add a catalyst when the reaction is effected at high temperature.

[0027] The compound of the formula (I) can also be prepared by introducing a fatty acid of the formula (VIII) or derivative thereof into an acylating agent and then reacting a (2S,3R)-2-aminoalkane-1,3-diol with the resulting acylat-

[0028] Examples of the acylating agent represented here include acid halides, acid anhydrides, mixed acid anhydrides and esters, para-nitrophenyl ester and N-hydroxysuccinimide ester of the fatty acid of the formula (VIII) or derivative thereof.

[0029] The compound of the formula (I) can also be obtained by converting a fatty acid of the formula (VIII) or derivative thereof into an acylating agent in situ in the reaction mixture by using a dehydrating agent and then reacting a (2S,3R)-2-aminoalkane-1,3-diol with the resulting acylating agent without isolation. Examples of such

[0030] In the acylation of a (2S,3R)-2-aminoalkane-1,3-diol with a fatty acid of the formula (VIII) or derivative thereof, the acylation can be effected without protecting the hydroxyl group or acylation is effected after protecting the hydroxyl group with an appropriate protecting group as needed and removing the protecting group after the completion of the reaction, whereby a desired amide compound can be obtained.

[0031] As the optically active (2S,3R)-2-acylaminoalkane-1,3-diol which is used in the present invention and has a stereospecific (2S,3R)-configuration, compounds as described below can be mentioned. Specific examples of the compound of the formula (I) wherein R¹ represents a group having 15 carbon atoms includes:

[illegible]

[0032] Although there is no particular limitation imposed on the process for preparing the compound of the formula (I), those exemplified in 1) to 4) can be employed depending on the kind of R².

2) When R² represents a 2-hydroxy acid such as glycolic acid, lactic acid, (S)-lactic acid, (R)-lactic acid, 2-hydroxybutanoic acid, (R)-2-hydroxybutanoic acid, (S)-2-hydroxybutanoic acid, (R)-2-hydroxyhexanoic acid, (S)-2-hydroxyhexanoic acid, (R)-2-hydroxyoctanoic acid, (S)-2-hydroxyoctanoic acid, (R)-2-hydroxydecanoic acid, (S)-2-hydroxydecanoic acid, (R)-2-hydroxydodecanoic acid, (S)-2-hydroxydodecanoic acid, (R)-2-hydroxytetradecanoic acid, (S)-2-hydroxytetradecanoic acid, (R)-2-hydroxyhexadecanoic acid, (S)-2-hydroxyhexadecanoic acid, (R)-2-hydroxyoctadecanoic acid, (S)-2-hydroxyoctadecanoic acid, (R)-2-hydroxyicosanoic acid, (S)-2-hydroxyicosanoic acid, (R)-2-hydroxytetracosanoic acid, (S)-2-hydroxytetracosanoic acid or (R)-2-hydroxytetracosanoic acid, a compound described in JP-A-10-287350 can be applied.

[0033] No particular limitation is imposed on the process for preparing the compound of the formula (I) and the present invention is not limited to the above-described preparation processes.

[0036] No particular limitation is imposed on the kind of the raw material in the present invention, and examples include oil components, lipids, sterols, lower or polyhydric alcohols, surfactants and other components. The oil component include hydrocarbons such as paraffin, vaseline, ceresin, squalane, and isopropyl myristate, isopropyl palmitate, isopropyl stearate, isopropyl myristic acid, and higher alcohols such as palmityl

55 [0037] Examples of the lipid include squalene; higher fatty acids such as stearic acid, palmitic acid and myristic acid; fatty acid derivatives such as fatty acid alcohol, stearyl alcohol, cetanol, behenyl alcohol.

[0038] Examples of the lipid include glycerolipids such as eucalyptus oil, hardened palm oil, coconut oil, beeswax.

tallow, lard and hydrous lanolin; sphingolipids such as ceramide, sphingomyelin, cerebroside and ganglioside; and lipid analogues such as racemic ceramide and pseudoceramide.

[0039] Examples of the sterol include cholesterol; ergosterol; phytosterols such as sitosterol, stigmasterol and spinasterol; and cholesterol esters such as cholesteryl isostearate, cholesteryl hydroxystearate and monocholesteryl succinate.

[0040] Examples of the lower alcohol or polyols include ethanol, glycerin, ethylene glycol, propylene glycol and 1,3-buteneglycol.

[0041] Examples of the surfactant include higher fatty acid salts such as sodium stearate, sodium isostearate and sodium palmitate; anionic surfactants such as sodium stearyl sulfate, sodium polyoxyethylene lauryl sulfate, sodium polyoxyethylene myristyl sulfate, sodium polyoxyethylene stearyl sulfate, sodium polyoxyethylene isostearyl sulfate, triethanolamine lauryl sulfate and hydroxymethyl cellulose sodium lauryl sulfate; cationic surfactants such as quaternary ammonium salts; and nonionic surfactants such as glyceryl monocaprate, glyceryl monocaprylate, glyceryl monooleate, glyceryl mono(2-ethylhexanoate), glyceryl monostearate, glycerin monopalmitate, cetyl monoglyceride octanoate, polyethylene glycol monostearate, hydroxyethyl cellulose, hydroxypropylmethyl cellulose, carboxyvinyl polymer, xanthan gum, glycerin monostearate esters and glycerin distearate esters.

[0042] Examples of the other components include antiseptics such as paraben, chelating agents such as sodium ethylenediaminetetraacetate, buffers such as citric acid, salts, perfumes and water.

[0043] The keratin fiber strengthening agent according to the present invention contains at least one compound of the formula (I) in a concentration of 0.001 to 20 % by weight, preferably 0.005 to 5 % by weight, more preferably 0.01 to 2 % by weight, of total ceramide components based on the total composition.

[0044] As described later in Examples 31 to 38, the efficacy of the keratin fiber strengthening agent of the present invention, containing a naturally occurring type of optically active substance, (2S,3R)-2-acylaminoalkane-1,3-diol represented by the formula (I), has been evaluated by use of healthy dog hair or healthy human hair which has been cut off and discarded in a beauty parlor. As a result, the hair damaged with degreasing treatment with an organic solvent (a chloroform/ethanol mixture) and then treated with the agent of the present invention has a significantly increased breaking strength and an improved Young's modulus as compared with the degreased hair by degreasing treatment, proving that the keratin fiber strengthening agent of the present invention is excellent in bringing about a significant improvement in the physical properties of keratin fiber, such as breaking strength.

[0045] Furthermore, it has been recognized that the hair treated with the keratin fiber strengthening agent of the present invention containing the compound of the formula (I) heightened the breaking strength significantly and improved Young's modulus as compared with the hair treated with a keratin fiber strengthening agent comprising a "racemic ceramide", which is a mixture of the stereoisomers of the compound represented by the formula (I) so that the agent of the present invention is effective in markedly improving the physical properties of keratin fiber such as breaking strength. These results apparently show that the keratin fiber strengthening agent according to the present invention exhibits effects to keratin fibers for increasing the breaking strength, and high toughness. The organic solvent used here is a mixture of chloroform and ethanol, by which a lipid component can be extracted easily. The mixing ratio of chloroform and ethanol is from 1:1 to 10:1. The term "degreasing treatment with an organic solvent" as used herein means the treatment for removing lipid components from the hair by immersing healthy hair in the organic solvent and subjecting it to ultrasonication for 15 minutes.

[0046] A hair cosmetic composition such as shampoo, rinse or hair protecting cream can be formulated by incorporating cosmetic raw materials in the compound of the formula (I) of the present invention and adding an antiseptic such as methyl paraben or ethyl paraben.

[0047] The paraben described in the below-described Examples is a 1:1 mixture of methyl paraben and ethyl paraben. By treating the hair, which has been damaged by permanent wave, bleaching, exposure to ultraviolet light or the like, with a hair care cosmetic such as shampoo, rinse, hair protecting cream or lotion formulated by using the compound of the formula (I) in accordance with the formulation as described later in Examples, it is possible to improve the breaking strength of keratin, that is, to improve the strength of keratin fiber. Similarly, the breaking strength of the dog hair can be improved by cosmetics such as shampoo, hair-protecting cream, lotion or the like for dogs which are formulated in accordance with the method as described later in Examples.

[0048] The present invention will now be illustrated in detail with respect to Examples.

[0049] Unless otherwise noted, all the percents and ratios are by weight.

EXAMPLE 1

[0050]

Preparation of Keratin Fiber Strengthening Agent	
Compound 1	0.8%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Glycerol monostearate	0.1%
Cetanol	0.1%
Sodium polyoxyethylene lauryl ether sulfate	10.0%
Propylene glycol	10.0%
Purified water	balance

[0051] Isostearic acid, sodium stearate, cholesterol, glycerol monostearate, and cetanol were added to, (2S,3R)-2-octadecanoylamino-octadecane-1,3-diol (compound 1), and the mixture was heated at 100 to 120°C to prepare a solution. Propylene glycol was added to the solution at about 70°C, followed by stirring to make the mixture uniform. Polyoxyethylene lauryl ether sodium sulfate was added thereto, and purified water was further added at about 70°C while stirring to prepare a keratin fiber strengthening agent.

COMPARATIVE EXAMPLE 1Preparation of Blank Treating agent

[0052] The same components as used in Example 1 except compound 1 were compounded in the same manner as in Example 1 to obtain a blank treating agent.

COMPARATIVE EXAMPLE 2Preparation of Treating Agent Containing Racemate

[0053] A comparative treating agent was prepared in the same manner as in Example 1, except for replacing compound 1 with a racemic ceramide having the same planar structure as compound 1.

EXAMPLE 2

[0054] A keratin fiber strengthening agent was obtained in the same manner as in Example 1, except for replacing compound 1 with, (2S,3R)-2-hexadecanoylamino-hexadecane-1,3-diol (compound 2).

EXAMPLE 3

[0055] A keratin fiber strengthening agent was obtained in the same manner as in Example 1, except for replacing compound 1 with a 1:1 mixture of compound 1 and, (2S,3R)-2-octadecanoylamino-icosadecane-1,3-diol (compound 3).

EXAMPLE 4

[0056] A keratin fiber strengthening agent was obtained in the same manner as in Example 1, except for replacing compound 1 with, (2S,3R)-2-octadecanoylamino-hexadecane-1,3-diol (compound 4).

EXAMPLE 5

[0057] A keratin fiber strengthening agent was obtained in the same manner as in Example 1, except for replacing compound 1 with a 1:2 mixture of compound 2 and compound 4.

EXAMPLE 6

[0058] A keratin fiber strengthening agent was obtained in the same manner as in Example 1, except for replacing compound 1 with a 3:1 mixture of compound 2 and compound 3.

EXAMPLE 7

[0059] A keratin fiber strengthening agent was obtained in the same manner as in Example 1, except for replacing compound 1 with a 1:1:1 mixture of compound 2, compound 3, and compound 1.

EXAMPLE 8Preparation of Hair Cream

[0060] Hair cream was prepared from the following components.

Compound 1	0.6%
Liquid paraffin	15.0%
Vaseline	15.0%
Beezwax	2.0%
Carboxyvinyl polymer	0.1%
Xantham gum	0.1%
Glycerol	5.0%
Polyoxyethylene hydrogenated castor oil	3.0%
Chelating agent	adequate amount
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Cetanol	0.1%
Paraben*	adequate amount
Perfume	adequate amount
Purified water	balance

* 1:1 mixture of methyl p-hydroxybenzoate and butyl p-hydroxybenzoate

EXAMPLE 9Preparation of Hair Cream

[0061] Hair cream was prepared from the following components.

1:1 Mixture of compound 3 and compound 1	0.6%
Liquid paraffin	15.0%
Vaseline	15.0%
Beezwax	2.0%
Carboxyvinyl polymer	0.1%
Xantham gum	0.1%
Glycerol	5.0%
Polyoxyethylene hydrogenated castor oil	3.0%
Chelating agent	adequate amount
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Paraben	adequate amount
Cetanol	0.1%

(continued)

Perfume	adequate amount
Purified water	balance

EXAMPLE 10Preparation of Shampoo

[0062] A shampoo was prepared from the following components.

Compound 1	1.0%
Triethanolamine laurylsulfate	18.5%
1% Aqueous solution of hydroxypropylmethyl cellulose	15.0%
Ammonium laurylsulfate	8.0%
1,3-Dimethylol-5,5-dimethylhydantoin	0.15%
Disodium ethylenediaminetetraacetate	0.05%
Citric acid	small amount
Sodium chloride	small amount
Perfume	0.85%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.1%
Glycerol monostearate	0.1%
Cetanol	balance
Purified water	

EXAMPLE 11Preparation of Shampoo

[0063] A shampoo was prepared from the following components.

1:1 Mixture of compound 3 and compound	1.0%
Triethanolamine laurylsulfate	18.5%
1% Aqueous solution of hydroxypropylmethyl cellulose	15.0%
Ammonium laurylsulfate	8.0%
1,3-Dimethylol-5,5-dimethylhydantoin	0.15%
Disodium ethylenediaminetetraacetate	0.05%
Citric acid	small amount
Sodium chloride	small amount
Perfume	0.85%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.1%
Glycerol monostearate	0.1%
Cetanol	balance
Purified water	

EXAMPLE 12Preparation of Shampoo

5 [0064] A shampoo was prepared from the following components.

1:1:1 Mixture of compound 2, compound 3 and compound 1	0.9%
Triethanolamine laurylsulfate	18.5%
1% Aqueous solution of hydroxypropylmethyl cellulose	15.0%
Ammonium laurylsulfate	8.0%
1,3-Dimethylol-5,5-dimethylhydantoin	0.15%
Disodium ethylenediaminetetraacetate	0.05%
Citric acid	small amount
Sodium chloride	small amount
Perfume	0.85%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Glycerol monostearate	0.1%
Cetanol	0.1%
Purified water	balance

25 EXAMPLE 13Preparation of Dog Shampoo

30 [0065] A dog shampoo was prepared from the following components.

1:1:1 Mixture of compound 2, compound 3 and compound 1	0.6%
Triethanolamine laurylsulfate	18.5%
1% Aqueous solution of hydroxypropylmethyl cellulose	15.0%
Ammonium laurylsulfate	8.0%
1,3-Dimethylol-5,5-dimethylhydantoin	0.15%
Disodium ethylenediaminetetraacetate	0.05%
Citric acid	small amount
Sodium chloride	small amount
Perfume	0.85%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Glycerol monostearate	0.1%
Cetanol	0.1%
Purified water	balance

50 EXAMPLE 14Preparation of Dog Shampoo

55 [0066] A dog shampoo was prepared from the following components.

Compound 2	0.6%
Triethanolamine laurylsulfate	18.5%
1% Aqueous solution of hydroxypropylmethyl cellulose	15.0%

(continued)

Ammonium laurylsulfate	8.0%
1,3-Dimethylol-5,5-dimethylhydantoin	0.15%
Disodium ethylenediaminetetraacetate	0.05%
Citric acid	small amount
Sodium chloride	small amount
Perfume	0.85%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Glycerol monostearate	0.1%
Cetanol	0.1%
Purified water	balance

EXAMPLE 15Preparation of Hair Lotion

[0067] Hair lotion was prepared from the following components.

1:1:1 Mixture of compound 2, compound 3 and compound 1	1.0%
Hydroxyethyl cellulose	0.4%
Ethanol	25.0%
Glycerol monooleate	2.0%
Paraben	0.2%
Perfume	0.1%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Glycerol monostearate	0.1%
Cetanol	0.1%
Purified water	balance

EXAMPLE 16Preparation of Dog Hair Lotion

[0068] Dog hair lotion was prepared from the following components.

Compound 1	0.5%
Hydroxyethyl cellulose	0.4%
Ethanol	25.0%
Glycerol monooleate	2.0%
Paraben	0.2%
Perfume	0.1%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Glycerol monostearate	0.1%
Cetanol	0.1%
Purified water	balance

EXAMPLE 17Preparation of Hair Lotion

5 [0069] Hair lotion was prepared from the following components.

1:1 Mixture of compound 3 and compound 1	1.0%
Hydroxyethyl cellulose	0.4%
Ethanol	25.0%
Glycerol monooleate	2.0%
Paraben	0.2%
Perfume	0.1%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Glycerol monostearate	0.1%
Cetanol	0.1%
Purified water	balance

EXAMPLE 18

[0070] Dog hair lotion was prepared from the following components.

1:1:1 Mixture of compound 2, compound 3 and compound 1	0.9%
Hydroxyethyl cellulose	0.4%
Ethanol	25.0%
Glycerol monooleate	2.0%
Paraben	0.2%
Perfume	0.1%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Glycerol monostearate	0.1%
Cetanol	0.1%
Purified water	balance

EXAMPLE 19

[0071] Hair lotion was prepared from the following components.

1:1:1 Mixture of compound 2, compound 3 and compound 1	1.0%
Hydroxyethyl cellulose	0.4%
Ethanol	25.0%
Glycerol monooleate	2.0%
Paraben	0.2%
Perfume	0.1%
Isostearic acid	0.3%
Sodium stearate	0.3%
Cholesterol	0.3%
Glycerol monostearate	0.1%
Cetanol	0.1%
Purified water	balance

EXAMPLE 20Preparation of Dog Hair Lotion

[0072] Dog hair lotion was prepared from the following components.

2:1 Mixture of compound 3 and compound 1	0.9%
Hydroxyethyl cellulose	0.4%
Ethanol	25.0%
Glycerol monooleate	2.0%
Paraben	0.2%
Perfume	0.1%
Purified water	balance

EXAMPLE 21Preparation of Keratin Fiber Strengthening Agent

[0073] A keratin fiber strengthening agent was prepared in the same manner to Example 1 except for replacing compound 1 with compound 6, (2S,3R)-2-(2-hydroxyhexadecanoyl)aminooctadecane-1,3-diol.

Component	wt. %
Compound 6	0.8
Isostearic acid	0.3
Sodium stearate	0.3
Cholesterol	0.3
Glycerol monostearate	0.1
Cetanol	0.1
Sodium polyoxyethylene lauryl ether sulfate	10.0
Propylene glycol	10.0
Purified water	balance

COMPARATIVE EXAMPLE 3Preparation of Blank Treating Agent

[0074] In a similar manner to Example 1 except that Compound 1 was eliminated from the formulation of Example 1, a treating agent (placebo treating agent) was prepared.

EXAMPLE 22Formulation Example of Keratin Fiber Strengthening Agent

[0075] In a similar manner to Example 21 except that as the ceramide of the formula (I), (2S,3R)-2-oleoylamino-octadecane-1,3-diol (Compound 7) containing as R¹ a C₁₅H₃₁ group and as R² an oleoyl group was used instead of Compound 6, a keratin fiber strengthening agent (an optical-active-substance-containing treating agent of the present invention) was prepared.

EXAMPLE 3Formulation Example of Keratin Fiber Strengthening Agent

[0076] In a similar manner to Example 21 except that as a ceramide of the formula (I), a 2:1 mixture of (2S,3R)-2-octadecanoylamino-octadecane-1,3-diol (Compound 1) containing as R¹ a C₁₅H₃₁ group and as R² an octadecanoyl group and ((2S,3R)-2-acetylamino)octadecane-1,3-diol (Compound 8) containing as R¹ a C₁₅H₃₁ group and as R² an

acetyl group was used instead of single use of Compound 6, a keratin fiber strengthening agent was prepared.

EXAMPLE 24

Formulation Example of Keratin Fiber Strengthening Agent

[0077] In a similar manner to Example 21 except that as a ceramide of the formula (I), (2S,3R)-2-((R)-3-hydroxyhexadecanoyl)amino]octadecane-1,3-diol (Compound 9) containing as R¹ a C₁₅H₃₁ group and as R² an (R)-3-hydroxyhexadecanoyl group was used instead of Compound 6, a keratin fiber strengthening agent was prepared.

EXAMPLE 25

Formulation Example of Keratin Fiber Strengthening Agent

[0078] In a similar manner to Example 21 except that as a ceramide of the formula (I), (2S,3R)-2-((R)-2-hydroxyhexadecanoyl)amino]octadecane-1,3-diol (Compound 10) containing as R¹ a C₁₅H₃₁ group and as R² an (R)-2-hydroxyhexadecanoyl group was used instead of Compound 6, a keratin fiber strengthening agent was prepared.

EXAMPLE 26

Preparation of Hair Treating Agent

[0079] A hair treating agent was prepared using as a ceramide of the formula (I), (2S,3R)-2-(2-hydroxyhexadecanoyl)aminooctadecane-1,3-diol (Compound 6) containing as R¹ a C₁₅H₃₁ group and as R² a 2-hydroxyhexadecanoyl group.

Component	wt. %
Compound 6	0.6
Liquid paraffin	15.0
Vaseline	15.0
Beeswax	2.0
Carboxyvinyl polymer	0.1
Xanthan gum	0.1
Glycerin	5.0
Polyoxyethylene hydrogenated castor oil	3.0
Chelating agent	adequate amount
Isostearic acid	0.3
Sodium stearate	0.3
Cholesterol	0.3
Cetanol	0.1
Paraben	adequate amount
Perfume	adequate amount
Purified water	balance

EXAMPLE 27

Preparation of Hair Treating Agent

[0080] A hair treating agent was prepared using, as a ceramide of the formula (I), (2S,3R)-2-oleoylamino]octadecane-1,3-diol (Compound 7) containing as R¹ a C₁₅H₃₁ group and as R² an oleoyl group.

Component	wt. %
Compound 7	1.0
Triethanolamine lauryl sulfate	18.5
A 1% aqueous solution of hydroxypropylmethyl cellulose	15.0

(continued)

Component	wt. %
Ammonium lauryl sulfate	8.0
1,3-dimethylol-5,5-dimethyl-hidantoin	0.15
Disodium ethylenediaminetetraacetate	0.05
Citric acid	small amount
Sodium chloride	small amount
Perfume	0.85
Isostearic acid	0.3
Sodium stearate	0.3
Cholesterol	0.3
Glyceryl monostearate	0.1
Cetanol	0.1
Purified water	balance

EXAMPLE 28**Preparation of Hair Treating Agent**

[0081] A hair treating agent was prepared using as a ceramide of the formula (I), a 7:1 mixture of (2S,3R)-2-octadecanoylamino-octadecane-1,3-diol (Compound 1) containing as R¹ a C₁₅H₃₁ group and as R² a 2-octadecanoyl group and (2S,3R)-2-(2-hydroxyhexadecanoyl)amino-octadecane-1,3-diol (Compound 6) containing as R¹ a C₁₅H₃₁ group and as R² a 2-hydroxyhexadecanoyl group.

Component	wt. %
A 7:1 mixture of Compound 1 and Compound 6	3.0
Triethanolamine lauryl sulfate	18.5
A 1% aqueous solution of hydroxypropylmethyl cellulose	15.0
Ammonium lauryl sulfate	8.0
1,3-dimethylol-5,5-dimethylhydantoin	0.15
Disodium ethylenediaminetetraacetate	0.05
Citric acid	small amount
Sodium chloride	small amount
Perfume	0.85
Isotearic acid	0.3
Sodium stearate	0.3
Cholesterol	0.3
Glyceryl monostearate	0.1
Cetanol	0.1
Purified water	balance

EXAMPLE 29**Preparation of Hair Treating Agent**

[0082] A hair treating agent was prepared using as a ceramide of the formula (I), (2S,3R)-2-((R)-3-hydroxyhexadecanoyl)amino-octadecane-1,3-diol (Compound 9) containing as R¹ a C₁₅H₃₁ group and as R² an (R)-3-hydroxyhexadecanoyl group.

Component	wt. %
Compound 9	0.01
Hydroxyethyl cellulose	0.4

EP 0 920 852 A2

(continued)

Component	wt. %
Ethanol	25.0
Glyceryl monooleate	2.0
Paraben	0.2
Perfume	0.1
Isostearic acid	0.3
Sodium stearate	0.3
Cholesterol	0.3
Glyceryl monostearate	0.1
Cetanol	0.1
Purified water	balance

EXAMPLE 30

Preparation of Hair Treating Agent

[0083] A hair treating agent was prepared using as a ceramide of the formula (I), (2S,3R)-2-[(R)-2-hydroxyhexadecanoyl]amino]octadecane-1,3-diol (Compound 10) containing as R¹ a C₁₅H₃₁ group and as R² an (R)-2-hydroxyhexadecanoyl group.

Component	wt. %
Compound 10	0.5
Hydroxyethyl cellulose	0.4
Ethanol	25.0
Glyceryl monooleate	2.0
Paraben	0.2
Perfume	0.1
Isostearic acid	0.3
Sodium stearate	0.3
Cholesterol	0.3
Glyceryl monostearate	0.1
Cetanol	0.1
Purified water	balance

EXAMPLE 31

Breaking Strength Test

[0084] Hair samples 1 to 5 were prepared and subjected to a destructive test under the following conditions by the use of Shimadzu Autograph AGS-500B (manufactured by Shimadzu Corp.) to measure a breaking strength. The results obtained are shown in Table 1 below.

Measuring Conditions:

[0085]

Hair: A hair having a length of about 15 cm and a diameter of about 0.08 to 0.1 mm, clamped 5.7 cm from each end.
 Pulling speed: 5.0 cm/min
 Atmosphere: 25°C, 40% RH

Preparation of Samples

[0086] Healthy hair cut off from a 20-year-old female at a beauty parlor, which had not been permed nor bleached, was used

[0087] The healthy hair (untreated hair, sample 1) weighing 50 g was soaked in 450 ml of a 2:1 (by volume) mixture of chloroform and ethanol and subjected to ultrasonication for 15 minutes to remove lipids. The sample was washed with 250 ml of a 2:1 (by volume) mixture of chloroform and ethanol and then with 100 ml of acetone and dried to prepare solvent-treated hair as damaged hair (sample 2).

[0088] The solvent-treated hair weighing 40 g was soaked in a 5-fold weight of each of the blank treating agent of Comparative Example 1, the racemate-containing treating agent of Comparative Example 2, and the keratin fiber strengthening agent of Example 1 and subjected to ultrasonication for 15 minutes, followed by washing with five 1000 ml portions of water. The treated hair was dried under reduced pressure at 60°C for 2 hours and then under reduced pressure for 3 hours to prepare samples 3 to 5, respectively.

TABLE 1

Sample No.	Condition	Treatment	Breaking Strength* (kgf)
1	healthy	none	0.1514
2	damaged	none	0.1278
3	"	blank	0.1682
4	"	racemate	0.1555
5	"	compound 1	0.2058

Note: *Average of 10 measurements (n=10). hereinafter the same.

[0089] The results in Table 1 are graphically represented in Fig. 1. As is apparent from the results in Table 1 and Fig. 1, the keratin fiber strengthening agent of the present invention significantly increases the breaking strength of hair as compared with the blank treating agent ($P<0.01$) or racemate-containing treating agent.

EXAMPLE 32

[0090] A keratin fiber strengthening agent containing a 1:1 mixture of compound 1 and compound 2, a 1:1 mixture of compound 1 and compound 3, or a 1:1 mixture of compound 2 and compound 3 in place of compound 1 was tested in the same manner as in Example 31. The results obtained were similar to those in Example 31.

EXAMPLE 33Measurement of Young's Modulus

[0091] Healthy hair, cut off from a 25-year-old female at a beauty parlor, which had not been permed nor bleached, was used.

[0092] Healthy hair (untreated hair, sample 6) was treated with a chloroform-ethanol mixed solvent in the same manner as in Example 31 to prepare sample 7. Samples 8 to 10 were prepared in the same manner as for samples 3 to 5 of Example 31. The breaking strength of each sample was measured by means of Shimadzu Autograph. A Young's modulus was also measured. The results obtained are shown in Table 2 below.

TABLE 2

Sample No.	Condition	Treatment	Young's Modulus* (kgf/mm)
6	healthy	none	289.395
7	damaged	none	248.739
8	"	blank	271.162
9	"	racemate	300.163
10	"	compound 1	338.360

Note: *Average of 10 measurements (n=10). hereinafter the same.

[0093] The Young's modulus of samples 6 to 10 are graphically represented in Fig. 2. As shown in Table 2 and Fig. 2, the keratin fiber strengthening agent of the present invention significantly increases the Young's modulus of hair as compared with the blank treating agent ($P < 0.001$) or racemate-containing treating agent.

EXAMPLE 34

[0094] A keratin fiber strengthening agent containing a 1:1 mixture of compound 1 and compound 2, a 1:1 mixture of compound 1 and compound 3, or a 1:1 mixture of compound 1 and compound 5 in place of compound 1 was tested in the same manner as in Example 33. The results obtained were similar to those in Example 33.

EXAMPLE 35

Measurement of Toughness

[0095] The breaking strength and elongation measured on samples 6 to 10 in Example 33 are shown in Table 3 below. A toughness (a product of breaking strength and elongation) as calculated from these data ($n=10$) are also shown in Table 3.

TABLE 3

Sample No.	Breaking Strength (kgf)	Elongation (mm)	Toughness (kgf x mm)
6	0.2332	24.68	5.7554
7	0.2070	23.66	4.8976
8	0.2553	25.65	6.5484
9	0.2381	23.81	5.6692
10	0.2941	27.08	7.9642

[0096] The data of toughness are graphically represented in Fig. 3. The results of Table 3 and Fig. 3 prove that the hair treated with the keratin fiber strengthening agent of the present invention gains increased toughness significantly over the hair samples treated with the blank ($P < 0.05$) or the racemate-containing treating agent.

EXAMPLE 36

Breaking Strength Test on Dog Hair

[0097] Dog hair samples 11 to 15 were prepared as follows and subjected to a destructive test under the following conditions by the use of Shimadzu Autograph AGS-500B (manufactured by Shimadzu Corp.) to measure a breaking strength and a Young's modulus. The results obtained are shown in Table 4 below. The breaking strength and Young's modulus data obtained are also graphically represented in Figs. 4 and 5, respectively.

Measuring Conditions:

[0098]

Dog Hair: A dog hair having a length of about 10 to 15 cm and a diameter of about 0.08 to 0.1 mm, clamped 2 cm from each end.

Pulling speed: 5.0 cm/min

Atmosphere: 25°C, 40% RH

Preparation of Samples:

[0099] Healthy dog hairs collected from around the neck of a 4-year-old male Shetland sheepdog were used. The untreated hair as collected (sample 11) weighing 50 g was treated in the same manner as in Example 31 to prepare samples 12 to 15.

TABLE 4

Sample No.	Condition	Treatment	Breaking Strength (kgf) (n=10)	Breaking Strength per area (kgf/mm ²)	Young's Modulus (kgf/mm ²) (n=10)
11	healthy	None	0.1114	39.33	559.224
12	damaged	None	0.1032	37.09	535.528
13	"	Blank	0.1162	39.98	555.086
14	"	Racemate	0.1165	41.52	562.846
15	"	compound 1	0.1196	42.55	605.240

[0100] As is apparent from the results in Table 4 and Figs. 4 and 5, the keratin fiber strengthening agent of the present invention significantly increases the breaking strength ($P<0.05$) and the Young's modulus ($P<0.005$) as compared with the blank treating agent or racemate-containing treating agent.

[0101] It has been thus proved that the keratin fiber strengthening agent containing compound 1 brings about significant improvements on breaking strength and Young's modulus for not only human hair but dog hair.

EXAMPLE 37

[0102] A keratin fiber strengthening agent containing compound 5 or a 1:1 mixture of compound 1 and compound 2 in place of compound 1 was tested in the same manner as in Example 36. The results obtained were similar to those in Example 36.

EXAMPLE 38

Breaking strength test

[0103] Samples (Samples 16 to 19) were prepared as described below and breaking strength test and measurement of elongation were carried out under the below-described measuring conditions by using Shimadzu Autograph AGS0599B (manufactured by Shimadzu Corp). Based on the results, toughness (breaking strength x elongation) of each of Samples 16 to 19 was calculated.

(a) Testing method

[0104] Relative humidity: 40%, temperature: 25°C

[0105] Hair employed for the test: A hair having a length of about 15 cm and a diameter of about 0.08 to 0.1 mm, clamped 5.0 cm from each end.

[0106] Pulling speed: 5.0 cm/min

(b) Preparation of Samples (Samples 16 to 19)

[0107] Healthy hair, cut off from a 18-year-old female at a beauty parlor, which had not been permed nor bleached, was used.

[0108] The healthy hair (untreated hair, Sample 16) weighing 50 g was soaked in 450 ml of a 2:1 mixture of chloroform and ethanol and subjected to ultrasonication for 15 minutes to remove lipid components. The sample was then washed with 250 ml of a 2:1 mixture of chloroform and ethanol and then with 100 ml of acetone, followed by drying under reduced pressure, whereby organic-solvent-treated hair (Sample 17) was obtained.

[0109] The solvent-treated hair (Sample 17) weighing 40 g was soaked in a 5-fold weight of each of the treating agents and subjected to ultrasonication for 15 minutes. The hair was then washed five times with 1000 ml of water, followed by drying at 60°C for 2 hours under reduced pressure and then drying for 3 hours under reduced pressure, whereby each of Samples 18 to 19 were obtained. Described specifically, Sample 18 was the hair treated with the treating agent (placebo treating agent), which had been prepared in Comparative Example 3, subsequent to the treatment with a solvent, while Sample 19 was the hair treated with the keratin fiber strengthening agent of the present invention (Compound-6-containing treating agent) which had been prepared in Example 21.

[0110] The differences of the samples are summarized as follows.

Sample 16: Healthy hair (untreated)

Sample 17: Hair treated with the solvent

Sample 18: Hair treated with the solvent and then with the placebo treating agent prepared in Comparative Example 3

Sample 19: Hair treated with the solvent and then with the keratin fiber strengthening agent of the present invention (Compound-6-containing treating agent) prepared in Example 31

(C) Results

[0111] The mean value (n=10) of each of the breaking strength (Kgf), elongation (mm) and toughness (Kgf/m) was as follows:

	Breaking strength (Kgf)	Elongation (mm)	Toughness (Kg/mm)
Sample 16	0.246	27.16	6.681
Sample 17	0.191	24.97	4.769
Sample 18	0.201	23.01	4.625
Sample 19	0.266	26.02	6.921

[0112] As is obvious from the results in the above Table or Fig. 6, the keratin fiber strengthening agent of the present invention containing Compound 6 (Sample 19) significantly increases the breaking strength of hair ($P < 0.05$) as compared with the placebo treating agent (Sample 18).

[0113] It has been confirmed that the keratin fiber strengthening agent comprising an optically active (2S,3R)-2-acylaminoalkane-1,3-diol represented by the formula (I), which has the same steric configuration as naturally occurring ceramide, is effective for markedly increasing the breaking strength of hair when applied to keratin fiber such as hair by adhesion, coating or impregnation. It has been ascertained that the keratin fiber strengthening agent according to the present invention brings about a marked improvement in breaking strength and Young's modulus of hair as compared with a keratin fiber strengthening agent comprising a "racemic ceramide" which is a mixture of stereoisomers of the above-described compound. From these results, it is understood that hair care products for restoring the damaged hair can be developed by using the keratin fiber strengthening agent of the present invention. It is also been understood that the keratin fiber strengthening agent of the present invention has a curative effect in restoring damaged hair.


Claims

1. A keratin fiber strengthening agent comprising 0.001 to 20 % by weight of at least one (2S,3R)-2-acylaminoalkane-1,3-diol represented by the following formula (I):




wherein R^1 represents a straight-chain alkyl group having 9 to 17 carbon atoms and R^2 represents an acyl group having 2 to 24 carbon atoms which may contain at least one hydroxyl group or unsaturated bond.


2. A keratin fiber strengthening agent according to claim 1, wherein in the formula (I), R^1 represents a straight-chain alkyl group having 9 to 17 carbon atoms and R^2 represents a saturated acyl group having 2 to 24 carbon atoms.
3. A keratin fiber strengthening agent according to claim 1, wherein in the formula (I), R^1 represents a $\text{C}_{13}\text{H}_{27}$, $\text{C}_{15}\text{H}_{31}$ or $\text{C}_{17}\text{H}_{35}$ group and R^2 represents an acyl group represented by any one of the following formulas (II) to (VII):




(II)




(III)




(IV)



(V)



(VI)



(VII)

wherein R^3 represents a hydrogen atom or a saturated alkyl group having 1 to 21 carbon atoms.

4. A keratin fiber strengthening agent according to claim 3, wherein in the formulas (II) to (VII), R^3 represents a $\text{C}_{11}\text{H}_{23}$, $\text{C}_{13}\text{H}_{27}$, $\text{C}_{15}\text{H}_{31}$ or $\text{C}_{17}\text{H}_{35}$ group.
5. A keratin fiber strengthening agent according to claim 1, wherein R^2 represents an acetyl, oleoyl, linoleoyl or linolenoyl group.

EP 0 920 852 A2

6. A keratin fiber strengthening agent according to any one of claims 1 to 5, which comprises 0.005 to 5% by weight of at least one compound represented by the formula (I).
7. A keratin fiber strengthening agent according to any one of claim 1 to 6, which further comprises a cosmetically acceptable raw material.
8. A keratin fiber strengthening agent according to claim 7, wherein the cosmetic raw material comprises at least one material selected from the group consisting of oil components, lipids, sterols, lower or polyhydric alcohols and surfactants.
9. A method for improving the strength of keratin fiber, which comprises applying the keratin fiber strengthening agent according to any one of claims 1 to 8 to keratin fiber by adhesion, coating or impregnation.

Fig. 1




Fig. 2


Young's Modulus
(kg f/mm²)

Fig. 3




Fig. 4

Breaking strength
per area
(kgf/mm²)






Fig. 5

Young's Modulus
(kgf/mm²)

Breaking Strength
(Kgf)

Fig. 6



THIS PAGE BLANK (USPTO)

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 920 852 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
23.02.2000 Bulletin 2000/08

(51) Int Cl.7: A61K 7/06

(43) Date of publication A2:
09.06.1999 Bulletin 1999/23

(21) Application number: 98309428.5

(22) Date of filing: 18.11.1998

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: 18.11.1997 JP 33231997

(71) Applicant: Takasago International Corporation
Tokyo 144-8721 (JP)


(72) Inventors:
• Ishida, Kenya, Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)

- Sakurai, Kazutoshi, c/o Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)
- Ogura, Miharu, c/o Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)
- Yamasaki, Tetsuro, c/o Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)
- Shiroyama, Kenichiro, c/o Takasago Int. Corp.
Hiratsuka-shi, Kanagawa (JP)

(74) Representative: Bubbs, Antony John Allen et al
GEE & CO.
Chancery House
Chancery Lane
London WC2A 1QU (GB)

(54) Keratin fiber strengthening agent and method for strengthening keratin fiber

(57) A keratin fiber strengthening agent comprising 0.001 to 20% by weight of at least one (2S,3R)-2-acylamino-alkane-1,3-diol represented by formula (I):



(I)

wherein R¹ represents a straight-chain alkyl group having 9 to 17 carbon atoms; and R² represents an acyl group having 2 to 24 carbon atoms which may contain at least one hydroxy group or unsaturated bond is disclosed. A method for improving physical properties, such as breaking strength, of keratin fiber such as hair comprising applying the keratin fiber strengthening agent to keratin fiber by adhesion, coating or impregnation is also disclosed.

EP 0 920 852 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 98 30 9428

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 6)
X	FR 2 679 770 A (L'OREAL) 5 February 1993 (1993-02-05) * page 4, line 6-10; claim 1; example 1 *	1-9	A61K7/06
X	EP 0 728 473 A (L'OREAL) 28 August 1996 (1996-08-28) * the whole document *	1-8	
X	EP 0 790 053 A (L'OREAL) 20 August 1997 (1997-08-20) * the whole document *	1-8	
X	DATABASE CHEMICAL ABSTRACTS 'Online! STN abstract 127:162 067, XP002123891 * abstract * & JP 09 176097 A (TAKASAGO PERFUMERY CO., LTD) 8 July 1997 (1997-07-08)	1-8	
A	DATABASE CHEMICAL ABSTRACTS 'Online! STN abstract 127: 350 991, XP002123892 * abstract * & K. SAKURAI ET AL.: "Development and application of an optically active ceramide" FRAGRANCE JOURNAL, vol. 25, no. 10, 1997, pages 92-98, Japan	1	TECHNICAL FIELDS SEARCHED (Int. Cl. 6) A61K
A	EP 0 647 617 A (L'OREAL) 12 April 1995 (1995-04-12)	1	
P, X	WO 98 27958 A (BRISTOL-MYERS SQUIBB CO.) 2 July 1998 (1998-07-02) * the whole document *	1	
		-/--	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 25 November 1999	Examiner Glikman, J-F
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X particularly relevant if taken alone Y particularly relevant if combined with another document of the same category A technological background O non-written disclosure P intermediate document</p> <p>T theory or principle underlying the invention E earlier patent document but published on, or after the filing date D document cited in the application L document cited for other reasons S member of the same patent family corresponding document</p>			

EP 0 920 852 A3 (1998/04/21)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 98 30 9428

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication where appropriate of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
P, X	EP 0 875 232 A (TAKASAGO INTERNATIONAL CORP.) 4 November 1998 (1998-11-04) * the whole document *	1	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 25 November 1999	Examiner Glikman, J-F
CATEGORY OF CITED DOCUMENTS X particularly relevant if taken alone ✓ particularly relevant if combined with another document of the same category A technological background ○ non-written disclosure P intermediate document		I theory or principle underlying the invention E earlier patent document but published on or after the filing date D document cited in the application L document cited for other reasons 6 member of the same patent family corresponding document	

EPO FORM 1500 (01/92) (01/99)

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 98 30 9428

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information

25-11-1999

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
FR 2679770	A	05-02-1993	AT 129142 T	15-11-1995
			AU 662165 B	24-08-1995
			AU 2434792 A	02-03-1993
			CA 2092990 A	02-02-1993
			DE 69205561 D	23-11-1995
			DE 69205561 T	11-04-1996
			EP 0551498 A	21-07-1993
			ES 2078751 T	16-12-1995
			WO 9302656 A	18-02-1993
			JP 6502660 T	24-03-1994
			US 5679357 A	21-10-1997
EP 728473	A	28-08-1996	FR 2730410 A	14-08-1996
			BR 9600571 A	30-12-1997
			CA 2169525 A	16-08-1996
			CN 1134274 A	30-10-1996
			DE 69600007 D	24-04-1997
			DE 69600007 T	03-07-1997
			ES 2102284 T	16-07-1997
			JP 2922150 B	19-07-1999
			JP 8245337 A	24-09-1996
			US 5939077 A	17-08-1999
EP 790053	A	20-08-1997	FR 2744916 A	22-08-1997
			AT 171861 T	15-10-1998
			CA 2197702 A	16-08-1997
			DE 69700033 D	12-11-1998
			DE 69700033 T	25-02-1999
			ES 2125734 T	01-03-1999
			JP 2950789 B	20-09-1999
			JP 9227343 A	02-09-1997
JP 09176097	A	08-07-1997	NONE	
EP 647617	A	12-04-1995	FR 2711138 A	21-04-1995
			AT 155773 T	15-08-1997
			BR 9404071 A	13-06-1995
			CA 2117939 A	13-04-1995
			CN 1112108 A, B	22-11-1995
			DE 69404412 D	04-09-1997
			DE 69404412 T	04-12-1997
			DK 647617 T	02-03-1998
			ES 2105567 T	16-10-1997
			GR 3024901 T	30-01-1998
			HU 71595 A	29-01-1996
			JP 7165690 A	27-06-1995

For more details about this annex see Official Journal of the European Patent Office No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 98 30 9428

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on. The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

25-11-1999

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 647617 A		PL 305416 A	18-04-1995
		US 5665778 A	09-09-1997
		US 5959127 A	28-09-1999
WO 9827958 A	02-07-1998	JP 10182401 A	07-07-1998
		AU 5704998 A	17-07-1998
EP 875232 A	04-11-1996	JP 11012118 A	19-01-1999
		US 5916578 A	29-06-1999

For more details about this annex see Official Journal of the European Patent Office No. 12/E2

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)